



Norwegian  
Meteorological  
Institute

**METinfo**

No. 20/2017  
ISSN 1894-759X  
Meteorology

# **Verification of Operational Weather Prediction Models March to May 2017**

**Mariken Homleid and Frank Thomas Tveter**



# Contents

## Introduction

Models . . . . .	4
Post processed forecasts . . . . .	4
The HARMONIE system . . . . .	5
Verification measures . . . . .	7
Observations . . . . .	8

## Mean Sea Level Pressure figures

Statistics by lead time . . . . .	9
Monthly summary statistics the last three years . . . . .	10

## Temperature 2m figures

Statistics by lead time . . . . .	11
Monthly mean error the last three years . . . . .	12
Monthly standard deviation of error the last three years . . . . .	13
Monthly mean absolute error the last three years . . . . .	14
Maps for each region . . . . .	15
Time series for selected stations . . . . .	27

## Post processed temperature 2m figures

Statistics by lead time . . . . .	39
-----------------------------------	----

## Long term ECMWF temperature 2m figures

Statistics by lead time . . . . .	40
-----------------------------------	----

## Wind speed 10m figures

Statistics summarized over Norwegian stations . . . . .	43
Statistics summarized over Svalbard stations . . . . .	44
Statistics summarized over north Norwegian stations . . . . .	45
Monthly mean error the last three years . . . . .	46
Monthly standard deviation of error the last three years . . . . .	47
Monthly mean absolute error the last three years . . . . .	48
Maps for each region . . . . .	49
Time series for selected stations . . . . .	55

## Post processed maximum mean wind speed 10m figures

Statistics by lead time . . . . .	66
Statistics for categorised events . . . . .	66

<b>Wind gust figures</b>	
Statistics by lead time . . . . .	67
Statistics for categorised events . . . . .	67

<b>Long term ECMWF wind speed 10m figures</b>	
Statistics by lead time . . . . .	68

<b>Precipitation figures</b>	
Statistics by lead time (RR12) . . . . .	71
Statistics for categorised events (RR12) . . . . .	71
Monthly mean error the last three years (RR24) . . . . .	72
Monthly standard deviation of error the last three years (RR24) . . . . .	73
Monthly mean absolute error the last three years (RR24) . . . . .	74
Maps for each region (RR24) . . . . .	75
Time series for selected stations (RR12) . . . . .	81

**More information...**

Verification results are also available on internal web pages

- <http://metcoop.smhi.se/> - MetCoOp verification portal
- <http://verif/vmap/> - timeseries and windroses - on Google map

## Models

The following models are verified in this report.

ECMWF	Global model (IFS) at the European Centre for Medium-Range Weather Forecasts. From 26 January 2010 horizontal resolution approximately $16 \times 16 \text{ km}^2$ . From 8 March 2016 cycle 41r2 with horizontal resolution about $9 \text{ km}$ . ECMWF is available about 5 hours later than models run at MET.
AROME-Norway	HARMONIE cycle 37h1.1 with AROME physics and non-hydrostatic dynamics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid. Experimental since 25 October 2012, replacing Harmonie2.5 from 26 February 2013, on Yr from 1 October 2013.
AROME-MetCoOp (AM25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid on same domain as AROME-Norway. Run in cooperation with Swedish Meteorological and Hydrological Institute (SMHI). Experimental with cycle 38h1.1 since 9 December 2013, operational since 12 March 2014, cycle 38h1.2 since 8 December 2014.
AROME-Arctic (AA25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid, same domain size as AROME-MetCoOp. Experimental with cycle 38h1.2 since 15 October 2015, on Yr from 14 December 2016.
MetCoOp ensemble system (MEPSctrl)	MEPS has 10 ensemble members, only member 0, the control, is verified in this report. MEPS is based on HARMONIE cycle 40h1.1 with AROME physics and non-hydrostatic dynamics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid. Experimental since 25 May 2016. Operational status since 8 November 2016.

Analysis and lead times of forecasts are denoted by e.g. 00+30 UTC which indicates forecast generated at 00 UTC and valid 30 hours later.

## Post processed forecasts

Most of the raw model data are post processed before being published on Yr.

For 2m temperature, the raw data is first adjusted to a fine scale (500 m) topography applying a vertical temperature gradient of -1.6 degrees pr. 100 m. The “height corrected” 2m temperature forecasts (PPHC) are in a next step adapted to observations by a Kalman filter at all observing stations. The Kalman filter corrections are interpolated horizontally to the 500 m grid by kriging, using weights which decrease with increasing distance from the observing stations, both horizontally and vertically. The interpolated Kalman filter corrections are finally added to the height corrected field, giving PPKF.

10 m wind speed is statistically post processed to represent maximum wind speed 10m last hour, and called PP.

The precipitation forecasts are post processed by a neighbourhood method giving a median field. This field is used to determine the precipitation symbol on Yr.

ECMWF provides probabilistic forecasts based on a 51 member ensemble system at 30 km resolution. Consensus forecasts (ECens) are calibrated (ECensPP) before being presented on Yr.

## **The HARMONIE system**

HARMONIE is the acronym for HIRLAM's meso-scale forecast system (Hirlam Aladin Regional/Meso-scale Operational NWP In Europe). The HARMONIE system includes several configuration options. This section presents some of the main components and setups that are used at MET. More documentation is available on <http://www.cnrm.meteo.fr/gmapdoc/> and <http://hirlam.org/>. A change log for HARMONIE AROME is found on <https://metcoop.smhi.se/dokuwiki/nwp/metcoop/changelog/start>.

### **ALARO-0 physics**

ALARO-0 has physical parameterizations targeted for grey scale resolutions (4-10 km). It is a spin-off of the Météo-France physical parameterizations used in the globale ARPEGE, but with a separate radiation scheme, 3MT micro-physical frame work, and the Toucans turbulence scheme. Much of the development has been done by the RC LACE (Regional Cooperation for Limited Area modeling in Central Europe) community.

### **AROME physics**

AROME (Applications of Research to Operations at MEscale) is targeted for horizontal resolution 2.5 km or finer. It uses physical parameterizations based on the French academia model Meso-NH and the external surface model SURFEX. AROME has been operational at Météo-France since 18 December 2008, with a horizontal resolution of 2.5 km.

### **SURFEX as surface model**

SURFEX (Surface externalisée) is developed at Météo-France and academia for offline experiments and introduced in NWP models to ensure consistent treatment of processes related to surface. Météo-France is already using SURFEX for some of their configurations and is planning to use it for all their configurations. Surface modelling and assimilation will benefit from the possibility of running offline experiments. SURFEX is also used for offline applications in e.g. hydrology, vegetation monitoring and snow avalanche forecasts.

SURFEX includes routines to simulate the exchange of energy and water between the atmosphere and 4 surface types (tiles); land, sea (ocean), lake (inland water) and town. The land or nature tile can be divided further into 12 vegetation types (patches). ISBA (Interaction between Soil Biosphere and Atmosphere) is used for modelling the land surface processes. There are 3 ISBA options; 2- and 3-layer force restore and a diffusive approach, where the first one is used in HIRLAM. Towns may be treated by a separate TEB (Town Energy Balance) module. Seas and lakes are also treated separately. The lake model, FLAKE (Freshwater LAKE), has recently been introduced in SURFEX. A global ECOCLIMAP database which combines land cover maps and satellite information gives information about surface properties. The orography is taken from gtopo30.

“SURFEX Scientific Documentation” and “User’s Guide” are available on <http://www.cnrm.meteo.fr/surfex/>

### **Data assimilation**

NWP models are updated regularly using observations received in real-time from the global observing system. MEPS is updated each third hour; at 00, 03, 06, 09, 12, 15, 18 and 21 UTC.

### **Surface analysis**

Surface analysis is performed by CANARI (Code d’Analyse Nécessaire à ARPEGE pour ses Rejets et son Initialisation) (Taillefer, 2002). The analysis method is Optimal Interpolation and only conventional synoptic observations are used. 2 meter temperature and relative humidity observations are used to update the surface and soil temperature and moisture.

The snow analysis is also performed with CANARI in analogy with the HIRLAM snow analysis. Snow depth observations are used to update Snow Water Equivalent. The snow fields are analysed only at 06 and 18 UTC as there are very few snow depth observations at 00, 03, 09, 12, 15 and 21.

The Sea Surface Temperature (SST) and Sea Ice Concentration (SIC) is not analysed, but taken from the boundaries. ECMWF uses the OSTIA (Operational Sea Surface Temperature and Sea Ice Analysis) product, including SST from UK Met Office and SIC from MET. SST and SIC for the Baltic Sea have since 26 November 2015 been taken from the ocean model HIROMB run at SMHI.

The surface temperature over sea ice was taken from the boundary model and remained unchanged through the forecast. A simple thermodynamical sea ice scheme (SICE) giving prognostic sea ice temperatures in 4 fixed layers was introduced 26 November 2015.

### **Upper air analysis**

MEPS runs three dimensional variational (3D VAR) data assimilation using conventional observations from synop stations, ships, radiosondes and aircrafts and AMSU-A and AMSU-B/MHS data from polar orbiting NOAA and METOP satellites. GNSS were introduced 17 February 2015, radar reflectivities 16 June 2015 and IASI data 26 November 2015.

### **Boundary fields**

MEPS gets its boundary values (1-hourly) from the ECMWF model at approximately 16 km resolution, and has currently 65 vertical levels. None of the HARMONIE configurations at MET have applied digital filter initialization (DFI).

## Verification measures

All model forecasts in this report are verified against observations by interpolating (linear) the grid based forecasts to the observational sites. As a consequence, it should be noted that it is the models' abilities to forecast the observations that is being quantified and assessed. Thus, there is no attempt in this report to verify area averaged precipitation for example.

Verification is carried out both for raw and categorized forecasts. In the following, let  $f_1, \dots, f_n$  denote the forecasts and  $o_1, \dots, o_n$  the corresponding observations.

### Forecasts of continuous variables

The verification statistics applied to continuous variables are defined in the table below

Statistic	Acronym	Formula	Range	Optimal score
Mean Error	ME	$\frac{1}{n} \sum_{i=1}^n (f_i - o_i)$	$-\infty$ to $\infty$	0
Mean Absolute Error	MAE	$\frac{1}{n} \sum_{i=1}^n  f_i - o_i $	0 to $\infty$	0
Standard Deviation of Error	SDE	$\left( \frac{1}{n} \sum_{i=1}^n (f_i - o_i - \text{ME})^2 \right)^{1/2}$	0 to $\infty$	0
Root Mean Square Error	RMSE	$\left( \frac{1}{n} \sum_{i=1}^n (f_i - o_i)^2 \right)^{1/2}$	0 to $\infty$	0
Correlation	COR	$\frac{\frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})(o_i - \bar{o})}{\text{SD}(f)\text{SD}(o)}$	-1 to 1	1

In the formula for COR the following definitions are used

$$\bar{f} = \frac{1}{n} \sum_{i=1}^n f_i, \quad \bar{o} = \frac{1}{n} \sum_{i=1}^n o_i$$

$$\text{SD}(f) = \left( \frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})^2 \right)^{1/2}, \quad \text{SD}(o) = \left( \frac{1}{n} \sum_{i=1}^n (o_i - \bar{o})^2 \right)^{1/2}$$

for the means and standard deviations of the forecasts and observations.

## Forecasts of categorical variables

All variables in this report are continuous in raw form, but it is possible to categorize them and verify these. For example, wind speed above a given threshold could be of interest which would result in two possible outcomes (yes and no). The verification is then completely summarized by a contingency table as the one shown below

		event observed	
		yes	no
event forecasted	yes	<i>a</i>	<i>b</i>
	no	<i>c</i>	<i>d</i>

Verification statistics for such forecasts are listed in the following table

Statistic	Acronym	Formula	Range	Optimal score
Hit rate	HR	$\frac{a}{a+c}$	0 to 1	1
False alarm rate	F	$\frac{b}{b+d}$	0 to 1	0
False alarm ratio	FAR	$\frac{b}{a+b}$	0 to 1	0
Equitable threat score	ETS	$\frac{a-ar}{a+b+c-ar}$	-1/3 to 1	1 (0 = no skill)
Hanssen-Kuipers skill score	KSS	HR - F	-1 to 1	1 (0 = no skill)
Heidke skill score	HSS	$\frac{(a+d)/n - ssf}{1 - ssf}$	$-\infty$ to 1	1 (0 = no skill)










In the formula for ETS  $ar = (a+b)(a+c)/n$ .




In the formula for HSS the score for the standard forecast  $ssf = [(a+b)(a+c) + (b+d)(c+d)]/n^2$ .










## Observations

All observations come from Klimadatavarehuset at MET. Only synop stations are used. The model wind speed is verified against mean wind observations, FF. The post processed wind speed is intended to represent maximum wind speed 10m last hour, and is verified against FX.











### Mean Error

166 Norwegian stations


00+24,+30,+36,+42 UTC






43 Norwegian coastal stations






88 Norwegian inland stations



Standard Deviation of Error




### Mean Absolute Error



### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24

ME at observing sites  
(numbers in black)




Model "climatology" 01.03.2017 – 31.05.2017



### MEPSctrl 00+12


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24

ME at observing sites  
(numbers in black)




Model "climatology" 01.03.2017 – 31.05.2017



### MEPSctrl 00+12


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+24


SDE at observing sites  
(numbers in black)




Model "climatology" 01.03.2017 – 31.05.2017

SVALBARD LUFTHAVN


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-22.5	-7.9	5.3	5.8	365
— AA25: 12+18,+24,+30,+36	-23.5	-8.7	4.6	5.6	364
— ECMWF: 12+18,+24,+30,+36	-21.4	-10.1	0.9	5.4	364

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-0.7	1.8	2	1.5	8.5	361
ECMWF – synop	-2.1	1.8	2.8	2.3	7	361


BJØRNØYA




		01.03.2017 – 31.05.2017					
		Min	Mean	Max	Std	N	
—	synop: 00,06,12,18	-13.9	-3.1	4.8	3.7	368	
—	AA25: 12+18,+24,+30,+36	-13.1	-2.6	3.6	3.4	364	
—	ECMWF: 12+18,+24,+30,+36	-12.3	-2.6	4	3.3	364	
		ME	SDE	RMSE	MAE	Max.abs.err.	N
	AA25 – synop	0.4	1.1	1.2	0.9	5.1	364
	ECMWF – synop	0.5	1.1	1.2	0.9	5.1	364

TROMSØ


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-7.3	0.6	10.9	3.4	368
— MEPSctrl: 12+18,+24,+30,+36	-9.2	0	10.7	3.4	360
— AA25: 12+18,+24,+30,+36	-10.9	-0.3	11.2	3.7	364
— ECMWF: 12+18,+24,+30,+36	-14.9	-2.8	9	4.4	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.6	1.3	1.4	1.1	4.3	360
AA25 – synop	-0.8	1.5	1.7	1.3	6.9	364
ECMWF – synop	-3.3	1.8	3.8	3.3	10.5	364

KAUTOKEINO


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-29.2	-3.9	10.6	6.7	367
— MEPSctrl: 12+18,+24,+30,+36	-19.5	-4.4	9.4	5.1	360
— AA25: 12+18,+24,+30,+36	-19.6	-4.4	10.2	5.3	364
— ECMWF: 12+18,+24,+30,+36	-17.5	-4.5	8.3	4.8	364

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.6	2.8	2.9	2.2	12.8	359
AA25 – synop	-0.4	2.9	2.9	2.2	12.1	363
ECMWF – synop	-0.5	3.1	3.1	2.3	13	363

ØRLAND III




	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-3.7	5.2	19.4	4	368
— MEPSctrl: 12+18,+24,+30,+36	-3.9	4.9	18.7	4.1	360
— ECMWF: 12+18,+24,+30,+36	-4.2	4.7	14.4	3.3	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.3	1.2	1.2	0.9	4.3	360
ECMWF – synop	-0.4	1.3	1.4	1	8.1	364

BERGEN – FLORIDA


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-2.2	7.6	23.4	4.5	368
— MEPSctrl: 12+18,+24,+30,+36	-4.2	6.4	21.1	4.8	360
— ECMWF: 12+18,+24,+30,+36	-6.1	5.6	21.6	5	364


  

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-1.3	1.4	1.9	1.6	5.1	360
ECMWF – synop	-1.9	1.5	2.4	2.1	9.3	364




FINSEVATN


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017




01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	-24.9	-2.7	13	5.4	346	
— MEPSctrl: 12+18,+24,+30,+36	-23.2	-3	13.7	5.6	360	
— ECMWF: 12+18,+24,+30,+36	-18.4	-4.3	8.4	5.1	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.7	1.7	1.8	1.3	6.9	338
ECMWF – synop	-1.8	2.1	2.8	2.4	8.2	342

NESBYEN – TODOKK


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017






01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	-16.8	5.4	27	7.1	368	
— MEPSctrl: 12+18,+24,+30,+36	-11	4.2	26.2	6.4	360	
— ECMWF: 12+18,+24,+30,+36	-19.2	0.7	21.5	7.1	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-1.2	2.3	2.6	2.2	8.7	360
ECMWF – synop	-4.7	2.4	5.3	4.8	11.9	364

EKOFISK



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 00,06,12,18	2.4	7.6	14.8	2.2	368
— MEPSctrl: 12+18,+24,+30,+36	2.7	7.6	12.7	1.7	360
— ECMWF: 12+18,+24,+30,+36	3.3	7.8	13.6	1.8	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0	1	1	0.7	4	360
ECMWF – synop	0.2	0.9	1	0.7	3.4	364

SOLA


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-6.1	6.5	22.6	3.9	368
— MEPSctrl: 12+18,+24,+30,+36	-4.3	6.6	20.4	4.1	360
— ECMWF: 12+18,+24,+30,+36	-4	6.7	22	4	364




	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.1	1.4	1.4	1	5.6	360
ECMWF – synop	0.3	1.1	1.1	0.9	3.9	364

FÆRDER FYR












01.03.2017 – 31.05.2017						
	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	-3.7	6.6	16.9	4	368	
— MEPSctrl: 12+18,+24,+30,+36	-3.3	6	17	3.6	360	
— ECMWF: 12+18,+24,+30,+36	-3.2	6.4	15.1	3.6	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.6	1	1.2	0.9	4.2	360
ECMWF – synop	-0.2	1	1	0.8	4.9	364




OSLO – BLINDERN



01.03.2017 – 31.05.2017						
	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	-5.1	6.5	22.6	5.9	368	
— MEPSctrl: 12+18,+24,+30,+36	-7.1	5.8	25.7	6	360	
— ECMWF: 12+18,+24,+30,+36	-8.7	4.9	23	5.9	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.7	1.5	1.7	1.3	5	360
ECMWF – synop	-1.5	1.5	2.1	1.7	7.1	364






### Mean Error


























### Standard Deviation of Error












### Mean Absolute Error











### Mean Error

160 Norwegian stations


00+24,+30,+36,+42 UTC






43 Norwegian coastal stations






5 Norwegian mountainous stations



Standard Deviation of Error




Mean Absolute Error





### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+12


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 - 31.05.2017

### MEPSctrl 00+12


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017




### MEPSctrl 00+12

SDE at observing sites  
(numbers in black)






Model "climatology" 01.03.2017 – 31.05.2017

SVALBARD LUFTHAVN



01.03.2017 – 31.05.2017						
	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	0.4	5.1	14.1	2.8	365	
— AA25: 12+18,+24,+30,+36	0.2	5.1	15.5	3.2	364	
— ECMWF: 12+18,+24,+30,+36	0.1	2.9	7.2	1.5	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0	2.5	2.6	2	8.7	361
ECMWF – synop	-2.2	2.2	3.1	2.5	8.4	361

BJØRNØYA



01.03.2017 – 31.05.2017




	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.7	7.1	16.9	3.2	368
— AA25: 12+18,+24,+30,+36	0.9	7.8	18.6	3.4	364
— ECMWF: 12+18,+24,+30,+36	1.1	7.1	16.7	2.9	364

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.6	2.4	2.5	1.8	11.1	364
ECMWF – synop	0	1.8	1.8	1.3	7.6	364



TROMSØ




	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.1	3.2	9.5	1.9	368
— MEPSctrl: 12+18,+24,+30,+36	0.1	3.5	13.6	2.2	360
— AA25: 12+18,+24,+30,+36	0.1	3.4	14.3	2.3	364
— ECMWF: 12+18,+24,+30,+36	0.2	2.2	7.4	1.1	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.2	1.7	1.7	1.3	10.1	360
AA25 – synop	0.2	1.9	1.9	1.4	9.7	364
ECMWF – synop	-0.9	1.4	1.7	1.3	5.1	364

SLETTNES FYR


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.7	7.5	23.3	4	368
— MEPSctrl: 12+18,+24,+30,+36	0.9	7.4	20.4	3.7	360
— AA25: 12+18,+24,+30,+36	0.4	7.3	17.6	3.6	364
— ECMWF: 12+18,+24,+30,+36	0.3	6.7	17.4	3.2	364

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.2	2.3	2.3	1.7	9.8	360
AA25 – synop	-0.2	2.3	2.3	1.7	11.5	364
ECMWF – synop	-0.7	2.3	2.4	1.8	10	364


ØRLAND III




01.03.2017 – 31.05.2017						
	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	0	6.2	18.6	3.5	357	
— MEPSctrl: 12+18,+24,+30,+36	0.3	5.1	16.2	3	360	
— ECMWF: 12+18,+24,+30,+36	0.2	5.7	14.2	3	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-1.3	1.9	2.3	1.8	11.3	349
ECMWF – synop	-0.7	1.8	1.9	1.6	7.8	353

YTTERØYANE FYR


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.1	6.8	18.6	4.2	367
— MEPSctrl: 12+18,+24,+30,+36	0.8	7.8	18.4	4	360
— ECMWF: 12+18,+24,+30,+36	0.5	7.5	17.6	3.7	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	1	2.7	2.9	2.1	12.5	359
ECMWF – synop	0.6	2.6	2.7	2	12.5	363

FINSEVATN


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.1	5.2	17	3.9	241
— MEPSctrl: 12+18,+24,+30,+36	0.5	6.5	22.6	4.4	360
— ECMWF: 12+18,+24,+30,+36	0.2	3.3	9.1	1.9	364

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.7	2.4	2.5	1.8	10.3	241
ECMWF – synop	-2.2	2.5	3.3	2.5	8.6	237

NESBYEN – TODOKK



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0	1.8	10.3	1.5	368
— MEPSctrl: 12+18,+24,+30,+36	0.1	1.9	9.1	1.6	360
— ECMWF: 12+18,+24,+30,+36	0.1	1.9	6.4	1.1	364


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.1	1.4	1.4	1	7.5	360
ECMWF – synop	0.1	1.2	1.2	0.9	4.7	364

EKOFISK


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017






01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	0.5	7.6	15.4	3.1	368	
— MEPSctrl: 12+18,+24,+30,+36	0.1	7.8	14.9	3.3	360	
— ECMWF: 12+18,+24,+30,+36	0.5	7.6	15.2	3.1	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.2	1.6	1.6	1.3	5.6	360
ECMWF – synop	0	1.4	1.4	1.1	4.7	364




SOLA



01.03.2017 – 31.05.2017						
	Min	Mean	Max	Std	N	
— synop: 00,06,12,18	0	4.4	14.6	2.7	368	
— MEPSctrl: 12+18,+24,+30,+36	0.1	3.8	10.5	2.1	360	
— ECMWF: 12+18,+24,+30,+36	0.2	3.8	10.1	1.9	364	
	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.7	1.7	1.8	1.4	7.8	360
ECMWF – synop	-0.6	1.7	1.8	1.4	6.7	364



FÆRDER FYR













01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.3	6.7	16.1	3.3	368
— MEPSctrl: 12+18,+24,+30,+36	0.3	6.4	15.1	3.1	360
— ECMWF: 12+18,+24,+30,+36	0.4	6.1	13.2	3	364




  

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.4	1.9	1.9	1.5	6.8	360
ECMWF – synop	-0.7	1.9	2	1.5	6.8	364











### Mean Error












### Standard Deviation of Error







### Mean Absolute Error









Mean Error









Standard Deviation of Error




Mean Absolute Error



### MEPSctrl 00+30


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+30


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+30


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+30


SDE at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+30


ME at observing sites  
(numbers in black)



Model "climatology" 01.03.2017 – 31.05.2017

### MEPSctrl 00+30

SDE at observing sites  
(numbers in black)




Model "climatology" 01.03.2017 – 31.05.2017




SVALBARD LUFTHAVN


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017






01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 06,18	0	0.1	2.5	0.4	183
— AA25: 12+18,+30	0	0.4	3.3	0.7	182
— ECMWF: 12+18,+30	0	0.5	6	0.9	182

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.2	0.7	0.7	0.3	3.2	181
ECMWF – synop	0.4	0.8	0.9	0.4	4.2	181

BJØRNØYA



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	0.5	5.4	1.1	184
— AA25: 12+18,+30	0	0.7	8	1.2	182
— ECMWF: 12+18,+30	0	0.7	5	0.9	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.2	1	1	0.5	5.6	182
ECMWF – synop	0.1	0.9	0.9	0.5	5	182

TROMSØ


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	1.6	16.3	2.7	184
— MEPSctrl: 12+18,+30	0	1.2	16.3	2.3	180
— AA25: 12+18,+30	0	1.3	20.5	2.5	182
— ECMWF: 12+18,+30	0	1.7	24.8	3.2	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.5	1.8	1.9	1	7.2	180
AA25 – synop	-0.4	1.8	1.8	1.1	8.6	182
ECMWF – synop	0.1	2	2	1	9.2	182

BODØ VI


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	1.3	17.1	2.8	184
— MEPSctrl: 12+18,+30	0	1.2	16.6	2.4	180
— AA25: 12+18,+30	0	1.2	14.3	2.3	182
— ECMWF: 12+18,+30	0	2.2	16.4	3.2	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.1	1.7	1.7	0.8	9.1	180
AA25 – synop	-0.1	1.6	1.6	0.8	9.8	182
ECMWF – synop	0.9	1.9	2.1	1.2	10.3	182

ØRLAND III


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	1.2	18.7	2.5	182
— MEPSctrl: 12+18,+30	0	1.2	11.3	2.2	180
— ECMWF: 12+18,+30	0	2.1	13.9	3.1	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0	1.8	1.8	0.8	10.6	178
ECMWF – synop	0.9	2	2.2	1.2	8.7	180

BERGEN – FLORIDA


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	2.5	39.7	4.8	184
— MEPSctrl: 12+18,+30	0	2.2	38.5	4.4	180
— ECMWF: 12+18,+30	0	2.6	22.8	3.9	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.3	2.9	2.9	1.6	10.3	180
ECMWF – synop	0.1	2.6	2.6	1.4	16.9	182

LÆRDAL IV


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017


	Min	Mean	Max	Std	N
— synop: 06,18	0	0.7	16.3	1.8	174
— MEPSctrl: 12+18,+30	0	1.2	12	2.2	180
— ECMWF: 12+18,+30	0	1.9	12.8	2.7	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.5	1.8	1.9	0.9	12.6	172
ECMWF – synop	1	1.6	1.9	1.2	6.7	172

GARDERMOEN


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 06,18	0	0.7	16.8	2.3	184
— MEPSctrl: 12+18,+30	0	0.9	20.2	2.4	180
— ECMWF: 12+18,+30	0	0.9	20.5	2.2	182


  

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	0.2	1.7	1.7	0.7	12.8	180
ECMWF – synop	0.2	1.3	1.3	0.5	9.6	182




NELAUG


01.03.2017 – 31.03.2017



01.04.2017 – 30.04.2017



01.05.2017 – 31.05.2017



01.03.2017 – 31.05.2017

	Min	Mean	Max	Std	N
— synop: 06,18	0	1.4	19	3.5	157
— MEPSctrl: 12+18,+30	0	1.2	17.1	3	180
— ECMWF: 12+18,+30	0	1.1	15.3	2.6	182

	ME	SDE	RMSE	MAE	Max.abs.err.	N
MEPSctrl – synop	-0.1	2.7	2.7	1.1	14.9	153
ECMWF – synop	-0.1	2.3	2.3	1	12.9	155