



Norwegian
Meteorological
Institute

METinfo

No. 20/2016
ISSN 1894-759X
Meteorology

Verification of Operational Weather Prediction Models June to August 2016

Mariken Homleid and Frank Thomas Tvetter



Photo: Kristin Gogstad-Andersen

Contents

Introduction

Models	4
Post processed forecasts	4
The HARMONIE system	5
Verification measures	7
Observations	8

Mean Sea Level Pressure figures

Statistics by lead time	9
Monthly summary statistics the last three years	10

Temperature 2m figures

Statistics by lead time	11
Monthly mean error the last three years	12
Monthly standard deviation of error the last three years	13
Monthly mean absolute error the last three years	14
Maps for each region	15
Time series for selected stations	27

Post processed temperature 2m figures

Statistics by lead time	39
-----------------------------------	----

Wind speed 10m figures

Statistics summarized over Norwegian stations	40
Statistics summarized over Svalbard stations	41
Statistics summarized over north Nowegian stations	42
Monthly mean error the last three years	43
Monthly standard deviation of error the last three years	44
Monthly mean absolute error the last three years	45
Maps for each region	46
Time series for selected stations	52

Post processed maximum mean wind speed 10m figures

Statistics by lead time	63
Statistics for categorised events	63

Wind gust figures

Statistics by lead time	64
Statistics for categorised events	64

Precipitation figures

Statistics by lead time (RR12)	65
Statistics for categorised events (RR12)	65
Monthly mean error the last three years (RR24)	66
Monthly standard deviation of error the last three years (RR24)	67
Monthly mean absolute error the last three years (RR24)	68
Maps for each region (RR24)	69
Time series for selected stations (RR12)	75

More information...

Verification results are also available on internal web pages

- <http://metcoop.smhi.se/> - AROME-MetCoOp verification - 7 and 30 last days
- <http://verif/vmap/> - timeseries and windroses - on Google map

Models

The following models are verified in this report.

ECMWF	Global model (IFS) at the European Centre for Medium-Range Weather Forecasts. From 26 January 2010 horizontal resolution approximately $16 \times 16 \text{ km}^2$. From 8 March 2016 cycle 41r2 with horizontal resolution about 9 km . ECMWF is available about 5 hours later than models run at MET.
Hirlam8	Version 7.1, horizontal resolution defined by a $8 \times 8 \text{ km}^2$ grid. Operational status since 13 February 2008.
AROME-Norway	HARMONIE cycle 37h1.1 with AROME physics and non-hydrostatic dynamics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid. Experimental since 25 October 2012, replacing Harmonie2.5 from 26 February 2013, on Yr from 1 October 2013.
AROME-MetCoOp (AM25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid on same domain as AROME-Norway. Run in cooperation with Swedish Meteorological and Hydrological Institute (SMHI). Experimental with cycle 38h1.1 since 9 December 2013, operational since 12 March 2014, cycle 38h1.2 since 8 December 2014.
AROME-Arctic (AA25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid, same domain size as AROME-MetCoOp. Experimental with cycle 38h1.2 since 15 October 2015.

Analysis and lead times of forecasts are denoted by e.g. 00+30 UTC which indicates forecast generated at 00 UTC and valid 30 hours later.

Post processed forecasts

Most of the raw model data are post processed before being published on Yr.

For 2m temperature, the raw data is first adjusted to a fine scale (500 m) topography applying a vertical temperature gradient of -1.6 degrees pr. 100 m. The “height corrected” 2m temperature forecasts (AMHC) are in a next step adapted to observations by a Kalman filter at all observing stations. The Kalman filter corrections are interpolated horizontally to the 500 m grid by kriging, using weights which decrease with increasing distance from the observing stations, both horizontally and vertically. The interpolated Kalman filter corrections are finally added to the height corrected field, giving AMKF.

10 m wind speed is statistically post processed to represent maximum wind speed 10m last hour, and called AMPP.

The precipitation forecasts are post processed by a neighbourhood method giving a median field, AM-median. This field is used to determine the precipitation symbol on Yr.

The HARMONIE system

HARMONIE is the acronym for HIRLAM's meso-scale forecast system (Hirlam Aladin Regional/Meso-scale Operational NWP In Europe). The HARMONIE system includes several configuration options. This section presents some of the main components and setups that are used at MET. More documentation is available on <http://www.cnrm.meteo.fr/gmapdoc/> and <http://hirlam.org/>. A change log for AROME-MetCoOp is found on <https://wiki.met.no/nwp/metcoop/changelog/start>.

ALARO-0 physics

ALARO-0 has physical parameterizations targeted for grey scale resolutions (4-10 km). It is a spin-off of the Météo-France physical parameterizations used in the globale ARPEGE, but with a separate radiation scheme, 3MT micro-physical frame work, and the Toucans turbulence scheme. Much of the development has been done by the RC LACE (Regional Cooperation for Limited Area modeling in Central Europe) community.

AROME physics

AROME (Applications of Research to Operations at MEscale) is targeted for horizontal resolution 2.5 km or finer. It uses physical parameterizations based on the French academia model Meso-NH and the external surface model SURFEX. AROME has been operational at Météo-France since 18 December 2008, with a horizontal resolution of 2.5 km.

SURFEX as surface model

SURFEX (Surface externalisée) is developed at Météo-France and academia for offline experiments and introduced in NWP models to ensure consistent treatment of processes related to surface. Météo-France is already using SURFEX for some of their configurations and is planning to use it for all their configurations. Surface modelling and assimilation will benefit from the possibility of running offline experiments. SURFEX is also used for offline applications in e.g. hydrology, vegetation monitoring and snow avalanche forecasts.

SURFEX includes routines to simulate the exchange of energy and water between the atmosphere and 4 surface types (tiles); land, sea (ocean), lake (inland water) and town. The land or nature tile can be divided further into 12 vegetation types (patches). ISBA (Interaction between Soil Biosphere and Atmosphere) is used for modelling the land surface processes. There are 3 ISBA options; 2- and 3-layer force restore and a diffusive approach, where the first one is used in HIRLAM. Towns may be treated by a separate TEB (Town Energy Balance) module. Seas and lakes are also treated separately. The lake model, FLAKE (Freshwater LAKE), has recently been introduced in SURFEX. A global ECOCLIMAP database which combines land cover maps and satellite information gives information about surface properties. The orography is taken from gtopo30.

“SURFEX Scientific Documentation” and “User’s Guide” are available on <http://www.cnrm.meteo.fr/surfex/>

Data assimilation

NWP models are updated regularly using observations received in real-time from the global observing system. AROME-MetCoOp is updated each third hour; at 00, 03, 06, 09, 12, 15, 18 and 21 UTC.

Surface analysis

Surface analysis is performed by CANARI (Code d'Analyse Nécessaire à ARPEGE pour ses Rejets et son Initialisation) (Taillefer, 2002). The analysis method is Optimal Interpolation and only conventional synoptic observations are used. 2 meter temperature and relative humidity observations are used to update the surface and soil temperature and moisture.

The snow analysis is also performed with CANARI in analogy with the HIRLAM snow analysis. Snow depth observations are used to update Snow Water Equivalent. The snow fields are analysed only at 06 and 18 UTC as there are very few snow depth observations at 00, 03, 09, 12, 15 and 21.

The Sea Surface Temperature (SST) and Sea Ice Concentration (SIC) is not analysed, but taken from the boundaries. ECMWF uses the OSTIA (Operational Sea Surface Temperature and Sea Ice Analysis) product, including SST from UK Met Office and SIC from MET. SST and SIC for the Baltic Sea have since 26 November 2015 been taken from the ocean model HIROMB run at SMHI.

The surface temperature over sea ice was taken from the boundary model and remained unchanged through the forecast. A simple thermodynamical sea ice scheme (SICE) giving prognostic sea ice temperatures in 4 fixed layers was introduced 26 November 2015.

Upper air analysis

AROME-MetCoOp runs three dimensional variational (3D VAR) data assimilation using conventional observations from synop stations, ships, radiosondes and aircrafts and AMSU-A and AMSU-B/MHS data from polar orbiting NOAA and METOP satellites. GNSS were introduced 17 February 2015, radar reflectivities 16 June 2015 and IASI data 26 November 2015.

Boundary fields

AROME-MetCoOp gets its boundary values (1-hourly) from the ECMWF model at approximately 16 km resolution, and has currently 65 vertical levels. None of the HARMONIE configurations at MET have applied digital filter initialization (DFI).

Verification measures

All model forecasts in this report are verified against observations by interpolating (linear) the grid based forecasts to the observational sites. As a consequence, it should be noted that it is the models' abilities to forecast the observations that is being quantified and assessed. Thus, there is no attempt in this report to verify area averaged precipitation for example.

Verification is carried out both for raw and categorized forecasts. In the following, let f_1, \dots, f_n denote the forecasts and o_1, \dots, o_n the corresponding observations.

Forecasts of continuous variables

The verification statistics applied to continuous variables are defined in the table below

Statistic	Acronym	Formula	Range	Optimal score
Mean Error	ME	$\frac{1}{n} \sum_{i=1}^n (f_i - o_i)$	$-\infty$ to ∞	0
Mean Absolute Error	MAE	$\frac{1}{n} \sum_{i=1}^n f_i - o_i $	0 to ∞	0
Standard Deviation of Error	SDE	$\left(\frac{1}{n} \sum_{i=1}^n (f_i - o_i - \text{ME})^2 \right)^{1/2}$	0 to ∞	0
Root Mean Square Error	RMSE	$\left(\frac{1}{n} \sum_{i=1}^n (f_i - o_i)^2 \right)^{1/2}$	0 to ∞	0
Correlation	COR	$\frac{\frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})(o_i - \bar{o})}{\text{SD}(f)\text{SD}(o)}$	-1 to 1	1

In the formula for COR the following definitions are used

$$\bar{f} = \frac{1}{n} \sum_{i=1}^n f_i, \quad \bar{o} = \frac{1}{n} \sum_{i=1}^n o_i$$

$$\text{SD}(f) = \left(\frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})^2 \right)^{1/2}, \quad \text{SD}(o) = \left(\frac{1}{n} \sum_{i=1}^n (o_i - \bar{o})^2 \right)^{1/2}$$

for the means and standard deviations of the forecasts and observations.

Forecasts of categorical variables

All variables in this report are continuous in raw form, but it is possible to categorize them and verify these. For example, wind speed above a given threshold could be of interest which would result in two possible outcomes (yes and no). The verification is then completely summarized by a contingency table as the one shown below

		event observed	
		yes	no
event forecasted	yes	<i>a</i>	<i>b</i>
	no	<i>c</i>	<i>d</i>

Verification statistics for such forecasts are listed in the following table










Statistic	Acronym	Formula	Range	Optimal score
Hit rate	HR	$\frac{a}{a+c}$	0 to 1	1
False alarm rate	F	$\frac{b}{b+d}$	0 to 1	0
False alarm ratio	FAR	$\frac{b}{a+b}$	0 to 1	0
Equitable threat score	ETS	$\frac{a-ar}{a+b+c-ar}$	-1/3 to 1	1 (0 = no skill)
Hanssen-Kuipers skill score	KSS	HR - F	-1 to 1	1 (0 = no skill)
Heidke skill score	HSS	$\frac{(a+d)/n - ssf}{1 - ssf}$	$-\infty$ to 1	1 (0 = no skill)




In the formula for ETS $ar = (a+b)(a+c)/n$.










In the formula for HSS the score for the standard forecast $ssf = [(a+b)(a+c) + (b+d)(c+d)]/n^2$.

Observations

All observations come from Klimadatavarehuset at MET. Only synop stations are used. The model wind speed is verified against mean wind observations, FF. The post processed wind speed is intended to represent maximum wind speed 10m last hour, and is verified against FX.









Mean Error

140 Norwegian stations


00+24,+30,+36,+42 UTC






39 Norwegian coastal stations






37 Norwegian inland stations



Standard Deviation of Error




Mean Absolute Error



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+24


SDE at observing sites

forecast means 01.06.2016 – 31.08.2016




SVALBARD LUFTHAVN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.7	6.6	14	2.6	368
— AA25: 12+18,+24,+30,+36	-1.7	5	14.3	2.6	352
— Hirlam8: 12+18,+24,+30,+36	-3.6	4.5	11.5	2.4	368
— ECMWF: 12+18,+24,+30,+36	-1.7	3.3	9.6	2.5	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-1.6	1.2	2	1.7	5.8	352
Hirlam8 – synop	-2.1	1.2	2.4	2.1	5.8	368
ECMWF – synop	-3.3	1.2	3.5	3.3	7.2	368

BJØRNØYA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.8	5.4	12.6	2	367
— AA25: 12+18,+24,+30,+36	0.1	5.1	10	1.6	352
— Hirlam8: 12+18,+24,+30,+36	0.5	5.9	9.8	1.7	368
— ECMWF: 12+18,+24,+30,+36	1	5.5	10	1.6	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-0.4	1	1.1	0.8	5.8	351
Hirlam8 – synop	0.5	1.1	1.2	0.9	7.3	367
ECMWF – synop	0.1	1	1	0.7	3.9	367

TROMSØ


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	1.9	10.4	24.3	4.1	368
AM25: 12+18,+24,+30,+36	0.8	10.4	23.8	4	368
AA25: 12+18,+24,+30,+36	1.9	10.3	23.1	4.2	352
Hirlam8: 12+18,+24,+30,+36	2.3	9.9	20.4	3.5	368
ECMWF: 12+18,+24,+30,+36	0.8	9.4	23.5	4	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0	1.5	1.5	1.1	5.4	368
AA25 – synop	-0.2	1.5	1.5	1.1	6.3	352
Hirlam8 – synop	-0.5	1.4	1.5	1.1	5.3	368
ECMWF – synop	-1	1.2	1.6	1.3	4.8	368

KAUTOKEINO


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	1.2	11.3	25.2	4.8	367
— AM25: 12+18,+24,+30,+36	-0.7	10.3	24.7	4.8	368
— AA25: 12+18,+24,+30,+36	-0.5	10.3	24.6	4.9	352
— Hirlam8: 12+18,+24,+30,+36	0.6	11	24.4	4.5	368
— ECMWF: 12+18,+24,+30,+36	0	10.2	22.7	4.3	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.9	1.6	1.9	1.5	5.7	367
AA25 – synop	-1	1.7	1.9	1.6	5.7	351
Hirlam8 – synop	-0.2	1.7	1.7	1.3	6.1	367
ECMWF – synop	-1	1.6	1.9	1.5	5.8	367

ØRLAND III


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	5	13.2	27.4	3.4	368
— AM25: 12+18,+24,+30,+36	3.1	12.8	25.5	3.6	368
— Hirlam8: 12+18,+24,+30,+36	5.8	13	24.1	3	368
— ECMWF: 12+18,+24,+30,+36	6.7	12.5	21.7	2.5	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.4	1.3	1.3	1	4.4	368
Hirlam8 – synop	-0.2	1.4	1.5	1.1	9.4	368
ECMWF – synop	-0.6	1.6	1.7	1.3	5.8	368

BERGEN – FLORIDA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	7.3	14.6	26.7	3.1	368
— AM25: 12+18,+24,+30,+36	6.2	13.7	23.9	3.4	368
— Hirlam8: 12+18,+24,+30,+36	6.3	13.6	25.5	3	368
— ECMWF: 12+18,+24,+30,+36	4.6	13.3	24.2	3.2	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.9	1.4	1.6	1.4	4.5	368
Hirlam8 – synop	-1	1.2	1.6	1.3	5.1	368
ECMWF – synop	-1.3	1.1	1.7	1.5	4	368

FINSEVATN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-1.4	7.5	17.6	3.2	368
— AM25: 12+18,+24,+30,+36	-2.7	6.8	16.3	3.6	368
— Hirlam8: 12+18,+24,+30,+36	-2.4	6.3	16.9	3.6	368
— ECMWF: 12+18,+24,+30,+36	-2.3	6.2	15	3.3	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.7	1.8	1.9	1.6	5.6	368
Hirlam8 – synop	-1.2	1.8	2.2	1.9	5.1	368
ECMWF – synop	-1.2	2	2.4	2.1	7.3	368

NESBYEN – TODOKK


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	3.6	15	27.5	4.5	368
— AM25: 12+18,+24,+30,+36	5	14.4	25.3	3.9	368
— Hirlam8: 12+18,+24,+30,+36	2.8	11.9	22.2	3.8	368
— ECMWF: 12+18,+24,+30,+36	2.6	11.5	22.7	3.7	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.6	2	2.1	1.7	7.5	368
Hirlam8 – synop	-3.1	2.1	3.7	3.2	9	368
ECMWF – synop	-3.5	2.1	4.1	3.6	9.2	368

EKOFISK


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	9.2	14	18.6	2	368
— AM25: 12+18,+24,+30,+36	8.5	13.9	17.5	1.8	368
— Hirlam8: 12+18,+24,+30,+36	9.1	14.1	17.6	1.8	368
— ECMWF: 12+18,+24,+30,+36	9.6	14.3	17.9	1.7	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	1.1	1.1	0.8	4.4	368
Hirlam8 – synop	0.1	1.4	1.4	1	6.8	368
ECMWF – synop	0.2	1	1	0.8	4	368

SOLA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	7.6	14.9	25.9	2.6	368
— AM25: 12+18,+24,+30,+36	6.1	14.1	25.1	2.7	368
— Hirlam8: 12+18,+24,+30,+36	7.2	14.3	23.8	2.5	368
— ECMWF: 12+18,+24,+30,+36	8.1	14.1	23.7	2.5	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.8	1.3	1.5	1.2	5.3	368
Hirlam8 – synop	-0.7	1.2	1.4	1.1	5.8	368
ECMWF – synop	-0.8	1	1.3	1.1	3.9	368

FÆRDER FYR


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	10.2	16.8	22.5	1.9	368
— AM25: 12+18,+24,+30,+36	9.7	16.1	19.7	1.6	368
— Hirlam8: 12+18,+24,+30,+36	10.9	16.3	19.4	1.3	368
— ECMWF: 12+18,+24,+30,+36	11.4	16.4	19.6	1.5	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.7	1.2	1.4	1	6.3	368
Hirlam8 – synop	-0.6	1.4	1.5	1	6.9	368
ECMWF – synop	-0.4	1	1	0.8	4.3	368

OSLO – BLINDERN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016












01.08.2016 – 31.08.2016





















01.06.2016 – 31.08.2016










	Min	Mean	Max	Std	N
— synop: 00,06,12,18	8	16.6	28.9	3.6	368
— AM25: 12+18,+24,+30,+36	8.3	16.9	27.7	3.7	368
— Hirlam8: 12+18,+24,+30,+36	8.3	16.3	25.4	3.4	368
— ECMWF: 12+18,+24,+30,+36	7.9	15.5	25.1	3.1	368

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.4	1.4	1.4	1.1	6.1	368
Hirlam8 – synop	-0.3	1.5	1.5	1.2	5.1	368
ECMWF – synop	-1.1	1.3	1.7	1.4	6.6	368


















Mean Error



Standard Deviation of Error




Mean Absolute Error



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+12


SDE at observing sites

forecast means 01.06.2016 – 31.08.2016




SVALBARD LUFTHAVN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.6	4.7	12.5	2.5	368
— AA25: 12+18,+24,+30,+36	0.1	4	10.8	2.6	352
— Hirlam8: 12+18,+24,+30,+36	0.1	3.4	8.1	1.7	368
— ECMWF: 12+18,+24,+30,+36	0.1	2.6	6.8	1.3	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-0.8	1.9	2	1.6	6.4	352
Hirlam8 – synop	-1.3	1.9	2.3	1.9	7.5	368
ECMWF – synop	-2.1	1.9	2.9	2.3	7.7	368

BJØRNØYA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.6	5.9	15	3	366
— AA25: 12+18,+24,+30,+36	0.8	6.1	15.4	3.2	352
— Hirlam8: 12+18,+24,+30,+36	0.6	5.5	14.4	2.9	368
— ECMWF: 12+18,+24,+30,+36	0.6	5.7	14.1	2.7	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.3	1.8	1.8	1.4	7.4	350
Hirlam8 – synop	-0.4	1.6	1.7	1.3	6.9	366
ECMWF – synop	-0.2	1.5	1.5	1.1	6.4	366

TROMSØ


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.3	2.6	7.8	1.6	368
— AM25: 12+18,+24,+30,+36	0.1	2.8	10	1.8	368
— AA25: 12+18,+24,+30,+36	0.2	2.7	9.5	1.8	352
— Hirlam8: 12+18,+24,+30,+36	0.1	3.5	8.4	1.8	368
— ECMWF: 12+18,+24,+30,+36	0.5	2.4	6.2	1.2	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.2	1.4	1.4	1.1	4.1	368
AA25 – synop	0.1	1.4	1.4	1.1	4.7	352
Hirlam8 – synop	0.9	1.5	1.8	1.4	5.6	368
ECMWF – synop	-0.2	1.2	1.2	1	3.6	368

SLETTNES FYR


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.2	5.6	15.8	2.9	368
— AM25: 12+18,+24,+30,+36	0.3	5.5	15.9	2.9	368
— AA25: 12+18,+24,+30,+36	0.2	5.5	16.5	3	352
— Hirlam8: 12+18,+24,+30,+36	0.3	5.5	14.7	2.7	368
— ECMWF: 12+18,+24,+30,+36	0.3	5.6	14.9	2.7	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	1.8	1.8	1.4	6.1	368
AA25 – synop	-0.1	1.8	1.8	1.4	6.1	352
Hirlam8 – synop	0	1.9	1.9	1.5	6.2	368
ECMWF – synop	0.1	1.6	1.6	1.2	5.7	368

ØRLAND III


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0	3.7	13.3	2.1	367
— AM25: 12+18,+24,+30,+36	0.2	3	10.3	1.6	368
— Hirlam8: 12+18,+24,+30,+36	0.4	4	12.5	2.1	368
— ECMWF: 12+18,+24,+30,+36	0.2	3.9	11.4	2	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.8	1.5	1.7	1.2	5.6	367
Hirlam8 – synop	0.3	1.6	1.7	1.3	6.4	367
ECMWF – synop	0.2	1.5	1.6	1.2	5.5	367

YTTERØYANE FYR


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.1	5.8	22.7	3.6	368
— AM25: 12+18,+24,+30,+36	0.6	6.8	17.2	3.9	368
— Hirlam8: 12+18,+24,+30,+36	0.3	6.5	16.5	3.8	368
— ECMWF: 12+18,+24,+30,+36	0.4	6.5	18.2	3.7	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	1	2.6	2.8	2.1	9.7	368
Hirlam8 – synop	0.6	2.7	2.8	2	11.2	368
ECMWF – synop	0.7	2.3	2.4	1.8	6.2	368

FINSEVATN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.2	4	15.2	2.6	368
— AM25: 12+18,+24,+30,+36	0.4	3.8	14	2.2	368
— Hirlam8: 12+18,+24,+30,+36	0.1	3.7	10.9	1.9	368
— ECMWF: 12+18,+24,+30,+36	0	2.9	7.5	1.5	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.3	1.7	1.7	1.3	6.5	368
Hirlam8 – synop	-0.3	1.8	1.8	1.5	5.7	368
ECMWF – synop	-1.1	1.8	2.1	1.6	8.7	368

NESBYEN – TODOKK


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0	1.4	5.5	1	368
— AM25: 12+18,+24,+30,+36	0.1	1.3	4.8	1	368
— Hirlam8: 12+18,+24,+30,+36	0.1	1.8	4.2	0.9	368
— ECMWF: 12+18,+24,+30,+36	0	1.6	4.8	0.9	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0	1	1	0.8	4.8	368
Hirlam8 – synop	0.4	1.1	1.2	0.9	4.7	368
ECMWF – synop	0.3	1	1.1	0.8	3.8	368

EKOFISK


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.5	6.2	16.5	2.9	368
— AM25: 12+18,+24,+30,+36	0.2	6.7	17	3	368
— Hirlam8: 12+18,+24,+30,+36	0.3	6.5	16.4	2.9	368
— ECMWF: 12+18,+24,+30,+36	0.2	6.5	17.1	2.9	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.5	1.7	1.8	1.3	8.1	368
Hirlam8 – synop	0.3	1.7	1.7	1.3	8.9	368
ECMWF – synop	0.2	1.4	1.4	1	7	368

SOLA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0	4.1	14.5	2.6	368
— AM25: 12+18,+24,+30,+36	0.1	3.4	11	2	368
— Hirlam8: 12+18,+24,+30,+36	0.1	3.9	11.3	2.2	368
— ECMWF: 12+18,+24,+30,+36	0.3	3.3	10.3	1.9	368


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.7	1.5	1.7	1.3	6.4	368
Hirlam8 – synop	-0.2	1.6	1.6	1.3	5.8	368
ECMWF – synop	-0.8	1.5	1.7	1.3	6.7	368

FÆRDER FYR


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016












01.08.2016 – 31.08.2016





















01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.4	6.8	17.5	3.5	368
— AM25: 12+18,+24,+30,+36	0.2	6.4	16.9	3.2	368
— Hirlam8: 12+18,+24,+30,+36	0.5	6.3	17.2	3.3	368
— ECMWF: 12+18,+24,+30,+36	0.6	6.1	16.5	3.1	368





	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.4	1.9	1.9	1.4	6.6	368
Hirlam8 – synop	-0.5	2	2.1	1.6	7.8	368
ECMWF – synop	-0.7	1.6	1.8	1.4	6.2	368















Mean Error



Standard Deviation of Error




Mean Absolute Error



AM25 00+30

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+30

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+30

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+30

SDE at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+30

ME at observing sites


forecast means 01.06.2016 – 31.08.2016



AM25 00+30


SDE at observing sites

forecast means 01.06.2016 – 31.08.2016




SVALBARD LUFTHAVN


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	0.5	15	1.8	180
— AA25: 12+18,+30	0	0.6	17.2	1.9	176
— Hirlam8: 12+18,+30	0	0.7	24.5	2.1	184
— ECMWF: 12+18,+30	0	0.9	22.6	2.6	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.2	1.2	1.2	0.5	6	172
Hirlam8 – synop	0.3	1.3	1.4	0.6	10.7	180
ECMWF – synop	0.4	1.5	1.5	0.6	9.8	178

BJØRNØYA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	0.4	5.7	1	183
— AA25: 12+18,+30	0	0.6	8.3	1.1	176
— Hirlam8: 12+18,+30	0	0.6	8.3	1.2	184
— ECMWF: 12+18,+30	0	0.5	6.3	1	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.2	0.8	0.8	0.4	3.6	175
Hirlam8 – synop	0.2	0.7	0.8	0.4	4.9	183
ECMWF – synop	0.2	0.7	0.7	0.4	4.1	181

TROMSØ


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	1.2	19.4	2.7	184
— AM25: 12+18,+30	0	1.3	15.1	2.3	184
— AA25: 12+18,+30	0	1.3	18.5	2.6	176
— Hirlam8: 12+18,+30	0	1.6	14.3	2.6	184
— ECMWF: 12+18,+30	0	1.7	23.5	2.8	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.1	2	2	1	10.5	184
AA25 – synop	0.2	1.9	1.9	0.9	10.5	176
Hirlam8 – synop	0.4	2.1	2.2	1.1	10.7	184
ECMWF – synop	0.6	2.1	2.2	1.2	10.1	182

BODØ VI


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	1	30.7	2.9	184
— AM25: 12+18,+30	0	1.1	21.5	2.6	184
— AA25: 12+18,+30	0	1	17	2.4	176
— Hirlam8: 12+18,+30	0	1.6	15.4	2.5	184
— ECMWF: 12+18,+30	0	1.4	12.2	2.2	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0	2.7	2.7	0.9	23.3	184
AA25 – synop	0	2.9	2.9	1	27.8	176
Hirlam8 – synop	0.5	2.8	2.9	1.4	22.7	184
ECMWF – synop	0.5	1.5	1.6	0.9	7.3	182

ØRLAND III


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	1.4	16.2	3.1	176
— AM25: 12+18,+30	0	1.5	23.9	3.3	184
— Hirlam8: 12+18,+30	0	1.5	19.7	2.7	184
— ECMWF: 12+18,+30	0	1.6	19.3	2.9	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.2	2.6	2.6	1.2	12.5	176
Hirlam8 – synop	0.1	2.4	2.4	1.2	12.8	176
ECMWF – synop	0.3	2.1	2.1	1	13.2	174

BERGEN – FLORIDA


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016






01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	3.9	50	7.6	184
— AM25: 12+18,+30	0	2.9	31.7	6	184
— Hirlam8: 12+18,+30	0	2.2	32.4	4.1	184
— ECMWF: 12+18,+30	0	3.3	27.3	5.5	182

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-1.1	4.9	5	2.4	32.6	184
Hirlam8 – synop	-1.7	5.4	5.7	2.6	34.2	184
ECMWF – synop	-0.6	5	5	2.4	31.4	182

LÆRDAL IV






01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	0.9	20	2.3	184
— AM25: 12+18,+30	0	2.3	39	4.6	184
— Hirlam8: 12+18,+30	0	2.2	15.2	2.9	184
— ECMWF: 12+18,+30	0	2.3	22.6	3.2	182

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	1.4	3.2	3.5	1.8	19	184
Hirlam8 – synop	1.3	2.7	3	1.7	16.4	184
ECMWF – synop	1.4	2.3	2.7	1.6	11.6	182

GARDERMOEN




01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	1.3	17.7	3	184
— AM25: 12+18,+30	0	1.6	24.1	3.5	184
— Hirlam8: 12+18,+30	0	1.2	21.1	2.7	184
— ECMWF: 12+18,+30	0	1.5	13.2	2.8	182


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.2	2.6	2.6	1.1	12.6	184
Hirlam8 – synop	-0.1	2.6	2.6	1.1	16.2	184
ECMWF – synop	0.1	2.2	2.2	1	10.1	182

NELAUG


01.06.2016 – 30.06.2016



01.07.2016 – 31.07.2016



01.08.2016 – 31.08.2016



01.06.2016 – 31.08.2016

	Min	Mean	Max	Std	N
— synop: 06,18	0	2.1	32.2	4.4	152
— AM25: 12+18,+30	0	1.3	23.4	3.2	184
— Hirlam8: 12+18,+30	0	2	36.5	4.3	184
— ECMWF: 12+18,+30	0	1.7	17.4	3.1	182

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.7	4.1	4.2	1.6	31.3	152
Hirlam8 – synop	0.2	5.1	5.1	2.2	30.5	152
ECMWF – synop	-0.2	3.5	3.5	1.5	28.3	151